

SAFETY DATA SHEET

1. PRODUCT IDENTIFICATION & COMPANY INFORMATION

PRODUCT: Auto Warewash – CL
ITEM: 60625 – 60650 – 60610
RECOMMENDED USE: Automatic Dishwashing Detergent

DATE ISSUED :	12/17/2019
SDS REF. No :	606

MANUFACTURER:
 Chemcor Chemical Corp.
 13770 Benson Avenue
 Chino, CA 91710

24 HR. EMERGENCY TELEPHONE NUMBER:
INFOTRAC (US Transportation): (800) 535-5053
 NON-EMERGENCY TELEPHONE NUMBER:
 (909) 590-7234

2. HAZARDS INGREDIENTS & IDENTIFICATION

GHS CLASSIFICATION:

OXIDIZER, CORROSIVE

Skin Corrosion – Causes severe skin burns and eye damage

Eye Damage – Causes serious eye damage

Inhalation Hazard – Toxic if inhaled

Specific Target Organ Toxicity - Single Dose – May cause respiratory irritation

Acute Oral Toxicity – Harmful if swallowed

Category 1B H314
Category 1 H318
Category 3 H331
Category 3 H335
Category 4 H302

PHYSICAL HAZARDS

Oxidizing Solid – Oxidizer – May intensify fire

ENVIRONMENTAL HAZARDS

Very toxic to aquatic life

Class 2 H272
Category 1 H400

GHS LABEL ELEMENT

Hazard Pictograms



SIGNAL WORD: DANGER

HAZARD STATEMENTS: Causes severe skin burns and eye damage.

PREVENTION:

Wash skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

RESPONSE:

IF SWALLOWED: Do Not induce vomiting. Rinse mouth. Immediately drink 1 to 2 glasses of water or milk. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

IF in EYES: In case of contact, immediately flush thoroughly with plenty of cool running water. Remove contact lenses if worn. Continue flushing for at least 15 minutes holding eyelids apart. If irritation persists, get medical attention promptly.

IF on SKIN (or HAIR): In case of contact, immediately flush thoroughly with plenty of cool running water for at least 15 minutes. Immediately remove contaminated clothing and shoes. Wash prior to reuse.

IF INHALED: If discomfort is experienced from exposure to spray mist, the person should employ respiratory protection or leave the contaminated area until proper ventilation is restored. Breathe fresh air. If irritation persists, get medical attention.

STORAGE: Store in a tightly closed container. Do not store near oxidizers, alkalis, acids and bleach. Do not mix with other chemicals. Store away from excessive heat.

DISPOSAL METHOD: Dispose of in accordance with all Local, State and Federal regulations.

EMPTY CONTAINER: Nonrefillable container. Do not reuse or refill container. Before discarding container, rinse thoroughly with water.

OTHER HAZARDS: None known.

3. PHYSICAL DATA/COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight%
sodium carbonate	497-19-8	N/A
sodium metasilicate pentahydrate	10213-79-3	N/A
sodium tripolyphosphate (STPP)	7758-29-4	N/A
sodium hydroxide	1310-73-2	N/A
alcohol alkoxylate	N/A	N/A
alkyl naphthalene sulfonate, sodium salt	N/A	N/A
calcium hypochlorite	7778-54-3	N/A
water	7732-18-5	N/A
ethylenedinitrilo(tetraacetic) acid disodium salt dihydrate	6381-92-6	N/A

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. HEALTH HAZARD DATA & FIRST AID MEASURES

EYES : Immediately flush the eyes with large quantities of running water for a minimum of 15 minutes. Hold the eyelids apart during the flushing to ensure rinsing of the entire surface of the eyes and lids with water. DO NOT attempt to neutralize with chemical agents. Obtain medical attention as soon as possible. Oils or ointments should not be used. Continue the flushing for an additional 15 minutes if the physician is not immediately available.

SKIN : Immediately remove contaminated clothing under safety shower. Flush all affected areas with large amounts of water for at least 15 minutes. DO NOT attempt to neutralize with chemical agents. Obtain medical advice immediately.

INGESTION : If swallowed, DO NOT INDUCE VOMITING. Immediately give large quantities of water or milk, if available. If vomiting does occur, give fluids again. Never give anything by mouth to an unconscious person. Call a physician or nearest Poison Control Center immediately.

INHALATION : Remove from contaminated atmosphere. If breathing has ceased, clear the victim's airway and start mouth-to-mouth artificial respiration, which may be supplemented by the use of a bag-mask respirator, or a manually-triggered, oxygen supply capable of delivering 1 liter/second or more. If the victim is breathing, oxygen may be administered from a demand-type or continuous-flow inhalator, preferably with a physician's advice. Contact a physician immediately.

EYES : Immediately flush the eyes with large quantities of running water for a minimum of 15 minutes. Hold the eyelids apart during the flushing to ensure rinsing of the entire surface of the eyes and lids with water. DO NOT attempt to neutralize with chemical agents. Obtain medical attention as soon as possible. Oils or ointments should not be used. Continue the flushing for an additional 15 minutes if the physician is not immediately available.

NOTES TO PHYSICIAN: Treat symptomatically.

5. FIRE FIGHTING & EXPLOSION DATA/MEASURES

SUITABLE EXTENUISHING MEDIA: Water only. Use water to cool containers exposed to fire.

UNSUITABLE EXTENUISHING MEDIA: Do not use dry extinguishers containing ammonium compounds. Halon, Foam

SPECIFIC HAZARDS DURING FIRE FIGHTING: This product is chemically reactive with many substances. Any contamination of the product with other substances by spill or otherwise may result in a chemical reaction and fire. This product is an NFPA Class 3 Oxidizer which can cause a severe increase in fire intensity. Product is not known to be flammable, combustible or pyrophoric.

HAZARDOUS COMBUSTION PRODUCTS: Poisonous gases are produced in fire, including Chlorine. Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus. Containers may explode in fire.

FIRE FIGHTING EQUIPMENT : Use Self Contained Breathing Apparatus (SCBA) or NIOSH approved respirator and protective clothing.

FIRE FIGHTING PROCEDURES : Avoid breathing of vapors. Apply water spray to cool fire exposed containers and structures. Use water spray to disperse vapors.

GENERAL HAZARD : Dust may present explosion hazard. Containers may explode in fire. Practice good housekeeping.

FLASH POINT AND METHOD : None

FLAMMABLE LIMITS : None

AUTOIGNITION TEMPERATURE : N/A

FLAMMABLE CLASS : N/A

OTHER CONSIDERATIONS : None

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PRODCDURES: Response to a large quantity spill (100 pounds or greater) or when dusting or decomposition gas exposure could occur requires the use of a positive pressure full face supplied air respirator or self contained breathing apparatus (SCBA), chemical resistant gloves, coveralls and boots. In case of fire, this personal protective equipment should be used in addition to normal fire fighter equipment.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP:

Air Release: Vapors may be suppressed by the use of water fog. All water utilized to assist in fume suppression, decontamination or fire suppression may be contaminated and must be contained before disposal and/or treatment.

Water Release: This product is heavier than water. This material is soluble in water. Monitor all exit water for available chlorine and pH. Advise local authorities of any contaminated water release.

Land Release: DANGER: All spills of this product should be treated as contaminated. Contaminated product may initiate a chemical reaction that may spontaneously ignite any combustible material present, resulting in a fire of great intensity. In case of a spill, separate all spilled product from packaging, debris and other material. Using a clean broom or shovel, place all spilled product into plastic bags, and place those bags into a clean, dry disposal container, properly marked and labeled. Disposal containers made of plastic or metal are recommended. Do not seal disposal containers tightly. Immediately remove all product in disposal containers to an isolated area outdoors. Place all damaged packaging material in a disposal container of water to ensure decontamination (i.e. removal of all product) before disposal. Place all undamaged packaging in a clean, dry container properly marked and labeled.

Additional Spill Information: Hazardous concentrations in air may be found in local spill area and immediately downwind. Remove all sources of ignition. Stop source of spill as soon as possible and notify appropriate personnel. Dispose of spill residues per guidelines under Section 13, Disposal Consideration.

REPORTABLE QUANTITY: 10 lbs. (as calcium hypochlorite) per 40 CFR 302.4

ENVIRONMENTAL PRECAUTIONS: Do not allow contact with soil, surface or ground water.

7. PRECAUTIONS FOR SAFE HANDLING/STORAGE/USE

SAFE HANDLING: Avoid inhalation of dust and fumes. Do not take internally. Avoid contact with skin, eyes and clothing. Upon contact with skin or eyes, wash off with water. Remove contaminated clothing and wash before reuse.

GENERAL PROCEDURES : Store in a tightly closed container. Do not store near oxidizers, alkalies, acids and bleach. Do not mix with other chemicals. Store away from excessive heat.

Do not freeze. Keep away from food stuffs. Keep out of reach of children.

STORAGE TEMPERATURE: Keep product tightly sealed in original containers. Store product in a cool, dry, well-ventilated area. Store away from combustible or flammable products. Keep product packaging clean and free of all contamination, including, e.g. pool treatment

products, acids, organic materials, nitrogen-containing compounds, dry powder fire extinguishers (containing mono-ammonium phosphate), oxidizers, all corrosive liquids, flammable or combustible materials, etc.

Shelf Life Limitations: Do not store product where the average daily temperature exceeds 95° F. Storage above this temperature may result in rapid decomposition, evolution of chlorine gas and heat sufficient to ignite combustible products. Shelf life (that is, the period of time before the product goes below stated label strength) is determined by storage time and temperatures. Store in a cool, dry and well ventilated area. Prolonged storage at elevated temperatures will significantly shorten the shelf life. Storage in a climate controlled storage area or building is recommended in those areas where extreme high temperatures occur.

Incompatible Materials for Storage: Do not allow product to come in contact with other materials, including e.g. pool treatment products, acids, organic materials, nitrogen-containing compounds, dry powder fire extinguishers (containing mono-ammonium phosphate), oxidizers, all corrosive liquids, flammable or combustible materials, etc. A chemical reaction with such substances can cause a fire of great intensity. Do not store at temperatures above an average daily temperature of 35° C / 95° F. Storage above this temperature may result in rapid decomposition, evolution of chlorine gas and heat sufficient to ignite combustible products. (NFPA Oxidizer Class 3)

8. EXPOSURE CONTROLS\PERSONAL PROTECTION (PPE)

INGREDIENTS WITH WORKPLACE CONTROL PARAMETERS

Chemical Name	CAS Number	ACGIH TLV	OSHA PEL	NIOSH
sodium hydroxide	1310-73-2	Ceiling: 2 mg/3	TWA: 2 mg/m3 (vacated) Ceiling: 2mg/m3	IDLH: 10 mg/m3 Ceiling: 2 mg/m3
calcium hypochlorite	7778-54-3	Ceiling: 5 mg/3 TWA	TWA: 1 mg/m3	IDLH: 37-48 mg/m3

OSHA TABLE COMMENTS: NL = Not Listed

ENGINEERING CONTROLS: Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Ventilation: Local exhaust ventilation or other engineering controls are normally required when handling or using this product to keep airborne exposures below the TLV, PEL or other recommended exposure limit.

PERSONAL PROTECTIVE EQUIPMENT:

Respiratory Protection: Wear a NIOSH approved respirator if levels above the exposure limits are possible.

Respirator Type: A NIOSH approved full-face air purifying respirator equipped with combination chlorine/P100 cartridges.

Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations exceed ten (10) times the published limit.

Skin Protection: Wear impervious gloves to avoid skin contact. A full impervious suit is recommended if exposure is possible to a large portion of the body. A safety shower should be provided in the immediate work area.

Eye Protection: Use chemical goggles. Emergency eyewash should be provided in the immediate work area.

Protective Clothing Type: Neoprene, Nitrile, Natural rubber (This includes: gloves, boots, apron, protective suit).

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE/PHYSICAL STATE:	Solid
COLOR:	White Powder
ODOR:	Slight Chlorine
pH:	No Data Available
FLASH POINT:	None
ODOR THRESHOLD:	No Data Available
MELTING POINT/FREEZING POINT:	No Data Available
BOILING POINT:	No Data Available
EVAPORATION RATE:	No Data Available
FLAMMABILITY (SOLID, GAS):	No Data Available
UPPER EXPLOSION LIMIT:	No Data Available
SPECIFIC GRAVITY:	No Data Available
LOWER EXPLOSION LIMIT:	No Data Available
VAPOR PRESSURE:	No Data Available
RELATIVE VAPOR DENSITY:	No Data Available
RELATIVE DENSITY:	No Data Available
WATER SOLUBILITY:	100%
SOLUBILITY IN OTHER SOLVENTS:	No Data Available
PARTITION COEFFICIENT: N-OCTANOL/WATER:	No Data Available
AUTOIGNITION TEMPERATURE:	No Data Available
THERMAL DECOMPOSITION:	No Data Available
VISCOSITY, KINEMATIC:	No Data Available
EXPLOSIVE PROPERTIES:	No Data Available
OXIDIZING PROPERTIES:	No Data Available
MOLECULAR WEIGHT:	No Data Available
VOC:	No Data Available

10. STABILITY AND REACTIVITY

STABILITY : Stable

HAZARDOUS POLYMERIZATION : Will NOT Occur

CONDITIONS TO AVOID : Strong oxidizers, bleach, ammonia, heat, direct sunlight, or elevated storage temperature.

POLYMERIZATION : Will NOT Occur

HAZARDOUS DECOMPOSITION PRODUCTS: Sulfur Dioxide and Hydrogen Sulfide

INCOMPATIBLE MATERIALS : Strong oxidizers

Product is not sensitive to mechanical shock or impact. Product is not sensitive to electrical static discharge. Product will not undergo hazardous polymerization. Product is an NFPA Class 3 oxidizer which can cause a severe increase in fire intensity. Not pyrophoric. Not an organic peroxide. If subjected to excessive temperatures, the product may undergo rapid decomposition, evolution of chlorine gas, and heat sufficient to ignite combustible substances. If product is exposed to small amounts of water, it can react violently to produce heat and toxic gases and spatter. Use copious amounts of water for fires involving this product.

11. TOXICOLOGICAL INFORMATION

INFORMATION ON LIKELY ROUTES OF EXPOSURE: Inhalation, Ingestion, Eye contact, Skin contact.

SYMPTOMS OF EXPOSURE:

Eye Contact: Causes eye irritation.
Skin Contact: May cause irritation.
Ingestion: Pain, nausea, vomiting and diarrhea
Inhalation: May cause nasal discomfort and coughing.

IMMEDIATE, DELAYED, CHRONIC EFFECTS:

Product Information: Data not available for insufficient for classification.

TARGET ORGAN EFFECTS:

Eyes. Respiratory System. Skin. Blood. Central Nervous System.
Hematopoietic System. Kidney. Liver.

NUMERICAL MEASURES OF TOXICITY:

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

COMPONENT ACUTE TOXICITY INFORMATION

Chemical Name	CAS Number	Oral LD50	Dermal LD50	Inhalation LC50
water	7732-18-5	>90 mg/kg (Rat)	Not Available	Not Available
sodium hydroxide	1310-73-2	Not Available	= 1350 mg/kg (Rabbit)	Not Available
calcium hypochlorite	7778-54-3	850 mg/kg (Rat)	>2000 mg/kg (Rabbit)	2.04 mg/l (Rat)

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: This product has no known ecotoxicological effects. Non Identified

PRODUCT

TOXICITY TO FISH:

No Data Available

TOXICITY TO DAPHNIA AND OTHER AQUATIC INVERTEBRATES:

No Data Available

TOXICITY TO ALGAE:

No Data Available

INGREDIENTS

TOXICITY TO DAPHNIA AND OTHER AQUATIC INVERTEBRATES:

Sodium Hydroxide

PERSISTENCE AND DEGRADABILITY:

No Data Available

BIOACCUMULATIVE POTENTIAL:

No Data Available

MOBILITY IN SOIL:

No Data Available

OTHER ADVERSE EFFECTS:

No Data Available

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of in accordance with all Local, State and Federal regulations.

EMPTY CONTAINER: Nonrefillable container. Do not reuse or refill container. Before discarding container, rinse thoroughly with water.

RCRA/EPA WASTE INFORMATION: N/A

14. TRANSPORT INFORMATION

THE SHIPPER/CONSIGNOR/SENDER IS RESPONSIBLE TO ENSURE THAT THE PACKAGING, LABELING, AND MARKINGS ARE IN COMPLIANCE WITH THE SELECTED MODE OF TRANSPORT.

DOT (DEPARTMENT OF TRANSPORTATION)

LAND TRANSPORT:

PACKAGE SIZE: 1-Quart or Less

Not Regulated.

PACKAGE SIZE: 1-Gallon or Larger

Not Regulated.

SEA TRANSPORT (IMDG/IMO):

PACKAGE SIZE: 1-Quart or Less

Not Regulated.

PACKAGE SIZE: 1-Gallon or Larger

Not Regulated.

15. REGULATORY INFORMATION**EPCRA – EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW
CERCLA REPORTABLE QUANTITY**

Hazardous Components	CAS Number	Component RQ (Lbs.)	Calculated Component RQ (lbs.)
sodium hydroxide	1310-73-2	1,000	22,222

UNITED STATES:

TSCA: USA: Reported in the EPA TSCA Inventory.

SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)**SARA 304 EXTREMELY HAZARDOUS SUBSTANCES REPORTABLE QUANTITY:**

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards:

Health: Immediate (Acute) Health Hazard. Physical: Fire Hazard.

SARA 302:

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313:

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

CALIFORNIA PROP 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

16. OTHER INFORMATION

NFPA	Health Hazards: 3	Flammability: 0	Instability/Reactivity: 1	Special: OX – Oxidizer, Class 3
HMS	Health Hazards: N/A	Flammability: N/A	Physical Hazards: N/A	

Revision Date: 12/17/2019

Reasons For Revision: No Information Available

MANUFACTURER DISCLAIMER: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind, express or implied, and we assume no responsibility for any loss, damage, or expense, direct or consequential, arising out of their use.
---- End of Safety Data Sheet ----
