### **SAFETY DATA SHEET**

#### 1. PRODUCT IDENTIFICATION & COMPANY INFORMATION

PRODUCT: Oven & Grill Cleaner

61301 - 61305 - 61330 - 61355 ITEM:

RECOMMENDED USE: Oven & Grill Cleaner

**MANUFACTURER:** Chemcor Chemical Corp. 13770 Benson Avenue Chino, CA 91710

DATE ISSUED :	1/25/2019
SDS REF. No:	613

24 HR. EMERGENCY TELEPHONE NUMBER: INFOTRAC (US Transportation): (800) 535-5053

NON-EMERGENCY TELEPHONE NUMBER:

(909) 590-7234

# 2. HAZARDS INGREDIENTS & IDENTIFICATION

**GHS CLASSIFICATION:** 

Category 1A Skin Corrosion Serious eye damage Category 1

**GHS LABEL ELEMENT** 

**Hazard Pictograms** 





SIGNAL WORD: DANGER

HAZARD STATEMENTS: Causes severe skin burns and eye damage.

PREVENTION:

Wash skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED: Do Not induce vomiting. Rinse mouth. Immediately drink 1 to 2 glasses of water or milk. Never give anything by mouth to an unconscious

person. Call a physician or poison control center immediately.

If in EYES: In case of contact, immediately flush thoroughly with plenty of cool running water. Remove contact lenses if worn. Continue flushing for at least 15 minutes holding eyelids apart. If irritation persists, get medical attention promptly.

IF on SKIN (or HAIR): In case of contact, immediately flush thoroughly with plenty of cool running water for at least 15 minutes. Immediately remove contaminated clothing and shoes. Wash prior to reuse.

IF INHALED: If discomfort is experienced from exposure to spray mist, the person should employ respiratory protection or leave the contaminated area until proper ventilation is restored. Breathe fresh air. If irritation persists, get medical attention.

STORAGE: Store in a tightly closed container. Do not store near oxidizers, alkalies, acids and bleach. Do not mix with other chemicals. Store away from excessive

**DISPOSAL METHOD:** Dispose of in accordance with all Local. State and Federal regulations.

EMPTY CONTAINER: Nonrefillable container. Do not reuse or refill container. Before discarding container, rinse thoroughly with water.

OTHER HAZARDS: None known.

### 3. PHYSICAL DATA/COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight%
water	7732-18-5	N/A
sodium xylene sulfonate	1300-72-7	N/A
ammonium hydroxide	1336-21-6	N/A
potassium hydroxide	1310-58-3	N/A
sodium hydroxide	1310-73-2	N/A

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

### 4. HEALTH HAZARD DATA & FIRST AID MEASURES

EYES: Immediately flush the eyes with large quantities of running water for a minimum of 15 minutes. Hold the eyelids apart during the flushing to ensure rinsing of the entire surface of the eyes and lids with water. DO NOT attempt to neutralize with chemical agents. Obtain medical attention as soon as possible. Oils or ointments should not be used. Continue the flushing for an additional 15 minutes if the physician is not immediately available.

SKIN: Immediately remove contaminated clothing under safety shower. Flush all affected areas with large amounts of water for at least 15 minutes. DO NOT attempt to neutralize with chemical agents. Obtain medical advice immediately.

INGESTION: If swallowed, DO NOT INDUCE VOMITING. Immediately give large quantities of water or milk, if available. If vomiting does occur, give fluids again. Never give anything by mouth to an unconscious person. Call a physician or nearest Poison Control Center immediately.

INHALATION: Remove from contaminated atmosphere. If breathing has ceased, clear the victim's airway and start mouth-to-mouth artificial respiration, which

may be supplemented by the use of a bag-mask respirator, or a manually-triggered, oxygen supply capable of delivering 1 liter/second or more. If the victim is breathing, oxygen may be administered from a demand-type or continuous-flow inhalator, preferably with a physician's advice. Contact a physician immediately. **EYES:** Immediately flush the eyes with large quantities of running water for a minimum of 15 minutes. Hold the eyelids apart during the flushing to ensure rinsing of the entire surface of the eyes and lids with water. DO NOT attempt to neutralize with chemical agents. Obtain medical attention as soon as possible. Oils or ointments should not be used. Continue the flushing for an additional 15 minutes if the physician is not immediately available. NOTES TO PHYSICIAN: Treat symptomatically.

# 5. FIRE FIGHTING & EXPLOSION DATA/MEASURES

SUITABLE EXTENGUISHING MEDIA: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water, Carbon Dioxide, Dry Chemical, Foam.

UNSUITABLE EXTENGUISHING MEDIA: None Known

SPECIFIC HAZARDS DURING FIRE FIGHTING: Not flammable or combustible.

HAZARDOUS COMBUSTION PRODUCTS: Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx) Sulfur oxides

FIRE FIGHTING EQUIPMENT: Use Self Contained Breathing Apparatus (SCBA) or NIOSH approved respirator and protective clothing.

FIRE FIGHTING PROCEDURES: Avoid breathing of vapors. Apply water spray to cool fire exposed containers and structures. Use water spray to disperse vapors. GENERAL HAZARD: If material is released, area will become slippery.

FLASH POINT AND METHOD: None FLAMMABLE LIMITS: None **AUTOIGNITION TEMPERATURE:** N/A FLAMMABLE CLASS: N/A OTHER CONSIDERATIONS: None

### **6. ACCIDENTAL RELEASE MEASURES**

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PRODCDURES: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP: To contain spilled material, dike area involved. Neutralize with the following acids:

vinegar, citric acid, muriatic or hydrochloric acid. To absorb product, use porous material such as diatomaceous earth, sand or a commercial absorbent. Using a shovel, place into leak proof containers.

**ENVIRONMENTAL PRECAUTIONS:** Do not allow contact with soil, surface or ground water.

# 7. PRECAUTIONS FOR SAFE HANDLING/STORAGE/USE

SAFE HANDLING: Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling.

GENERAL PROCEDURES: Store in a tightly closed container. Do not store near oxidizers, alkalies, acids and bleach. Do not mix with other chemicals. Store away from excessive heat.

Do not freeze. Keep away from food stuffs. Keep out of reach of children.

STORAGE TEMPERATURE: 0 °C to 50 °C

### 8. EXPOSURE CONTROLS\PERSONAL PROTECTION (PPE)

#### **OCCUPATIONAL EXPOSURE LIMITS:**

Chemical Name	CAS Number	ACGIH TLV	OSHA PEL	NIOSH
ammonium hydroxide	1336-21-6	Ceiling: 2 mg/3	TWA: 2 mg/m3 (vacated) Ceiling: 2mg/m3	IDLH: 10 mg/m3 Ceiling: 2 mg/m3
potassium hydroxide	1310-58-3	Ceiling: 2 mg/3	TWA: 2 mg/m3 (vacated) Ceiling: 2mg/m3	IDLH: 10 mg/m3 Ceiling: 2 mg/m3
sodium hydroxide	1310-73-2	Ceiling: 2 mg/3	TWA: 2 mg/m3 (vacated) Ceiling: 2mg/m3	IDLH: 10 mg/m3 Ceiling: 2 mg/m3

OSHA TABLE COMMENTS: NL = Not Listed

ENGINEERING CONTROLS: Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

## PERSONAL PROTECTIVE EQUIPMENT:

EYES AND FACE: Safety Splash Monogoggles / Face Shield.

SKIN: Solvent resistant gloves, boots and clothing.

RESPIRATORY: None needed for normal clean up. If mist or vapor may be generated, a Self Contained Breathing Apparatus (SCBA) or NIOSH approved respirator

WORK HYGIENIC PRACTICES: Avoid accidental spills on skin, wash after use. Wash contaminated clothing prior to reuse.

OTHER USE PRECAUTIONS: Have clean water available for washing. Provide adequate ventilation or use mechanical devices.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

APPERANCE/PHYSICAL STATE: Liquid COLOR: Clear Yellow ODOR: Slight Ammonia pH: FLASH POINT: 13.3 None

ODOR THRESHOLD: No Data Available

MELTING POINT/FREEZING POINT: No Data Available **BOILING POINT** >212°F

**EVAPORATION RATE:** (Water=1):<1 (slower than water) FLAMMABILITY (SOLID, GAS): No Data Available

SPECIFIC GRAVITY: (H<sub>2</sub>O=1): 1.13 UPPER EXPLOSION LIMIT: No Data Available LOWER EXPLOSION LIMIT: No Data Available VAPOR PRESSURE: No Data Available RELATIVE VAPOR DENSITY:

(Air=1):>1 (heavier than air) No Daťa Available

RELATIVE DENSITY:

WATER SOLUBILITY:

SOLUBIILITY IN OTHER SOLVENTS: No Data Available PARTITION COEFFICIENT: N-OCTANOLI/WATER: No Data Available AUTOIGNITION TEMPERATURE: No Data Available THERMAL DECOMPOSITION: No Data Available VISCOSITY, KINEMATIC: No Data Available

100%

EXPLOSIVE PROPERTIES: OXIDIZING PROPERTIES: MOLECULAR WEIGHT:

No Data Available No Data Available No Data Available No Data Available

# 10. STABILITY AND REACTIVITY

STABILITY: Stable
HAZARDOUS POLYMERIZATION: Will NOT Occur

**CONDITIONS TO AVOID :** Contact with aluminum and soft metals. Keep from freezing.

POLYMERIZATION: Will NOT Occur

HAZARDOUS DECOMPOSITION PRODUCTS: Nitrogen, CO, CO2
INCOMPATIBLE MATERIALS: Acids, oxidizers and strong alkalies, bleach and ammonia.
Soft metals such as aluminum, zinc and tin.

### 11. TOXICOLOGICAL INFORMATION

INFORMATION ON LIKELY ROUTES OF EXPOSURE: Inhalation, Ingestion, Eye contact, Skin contact.

SYMPTOMS OF EXPOSURE:

Eye Contact Skin Contact: Ingestion: Inhalation:

May cause irritation. Pain, nausea, vomiting and diarrhea May cause nasal discomfort and coughing.

**IMMEDIATE, DELAYED, CHRONIC EFFECTS:** 

Product Information: Data not available for insufficient for classification.

**TARGET ORGAN EFFECTS:** Eyes. Respiratory System. Skin. Blood. Central Nervous System. Hematopoietic System.

Causes eye irritation.

Kidney. Liver.

NUMERICAL MEASURES OF TOXICITY:

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral): 6195 mg/kg ATEmix (dermal):
ATEmix (inhalation-dust/mist): 13585 mg/kg 29.7 ma/L ATEmix (inhalation-vapor): 74.2 mg/L

COMPONENT ACUTE TOXICITY INFORMATION

Chemical Name	CAS Number	Oral LD50	Dermal LD50	Inhalation LC50
Water	7732-18-5	>90 mL/kg (Rat)	Not Available	Not Available
sodium xylene sulfonate	1300-72-7	=7200 mg/kg (Rat)	Not Available	Not Available
ammonium hydroxide	1336-21-6	= 350 mg/kg ( Rat )	Not Available	= 5.1 mg/L ( Rat ) 1 h = 2000 ppm ( Rat ) 4 h
potassium hydroxide	1310-58-3	= 214 mg/kg ( Rat )	Not Available	Not Available
sodium hydroxide	1310-73-2	Not Available	= 1350 mg/kg ( Rabbit )	Not Available

# 12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: This product has no known ecotoxicological effects. Non Identified

PRODUCT

TOXICITY TO FISH:

No Data Available

TOXICITY TO DAPHNIA AND OTHER AQUATIC INVERTEBRATES:

No Data Available
TOXICITY TO ALGAE:

No Data Available

INGREDIENTS

TOXICITY TO DAPHNIA AND OTHER AQUATIC INVERTEBRATES:

No Data Available

PERSISTENCE AND DEGRADABILITY: No Data Available

**BIOACCUMULATIVE POTENTIAL:** 

No Data Available **MOBILITY IN SOIL:** 

No Data Available

**OTHER ADVERSE EFFECTS:** 

No Data Available

# 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** Dispose of in accordance with all Local. State and Federal regulations.

EMPTY CONTAINER: Nonrefillable container. Do not reuse or refill container. Before discarding container, rinse thoroughly with water.

RCRA/EPA WASTE INFORMATION: N/A

# 14. TRANSPORT INFORMATION

THE SHIPPER/CONSIGNOR/SENDER IS RESPONSIBLE TO ENSURE THAT THE PACKAGING, LABELING, AND MARKINGS ARE IN COMPLIANCE WITH THE SELECTED MODE OF TRANSPORT.

**DOT (DEPARTMENT OF TRANSPORTATION)** 

LAND TRANSPORT:

PACKAGE SIZE: 1-Quart or Less
DOT DESCRIPTION: Compounds, Cleaning Liquid

DOT LABEL: None DOT PLACARD: None

PACKAGE SIZE: 1-Gallon or Larger
NA NUMBER: NA 1760
NA PROPER SHIPPING NAME: Compounds, Cleaning Liquid (contains sodium hydroxide & potassium hydroxide).

TRANSPORT HAZARD CLASS: Corrosive 8

TRANSPORT HAZARD SUBCLASS: N/A

PACKING GROUP: PG II DOT LABEL: Corrosive 8

DOT PLACARD: Corrosive 8 (1001 Lbs. or More)

MARINE POLLUTANT Y/N: No

SEA TRANSPORT (IMDG/IMO):

PACKAGE SIZE: 1-Quart or Less
DOT DESCRIPTION: Compounds, Cleaning Liquid

DOT LABEL: None

DOT PLACARD: None

PACKAGE SIZE: 1-Gallon or Larger NA NUMBER: NA 1760

NA PROPER SHIPPING NAME : Compounds, Cleaning Liquid (contains

sodium hydroxide & potassium hydroxide). TRANSPORT HAZARD CLASS: Corrosive 8 TRANSPORT HAZARD SUBCLASS: N/A

PACKING GROUP: PG II DOT LABEL: Corrosive 8

DOT PLACARD: Corrosive 8 (1001 Lbs. or More) MARINE POLLUTANT Y/N: No

### 15. REGULATORY INFORMATION

#### **EPCRA - EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW** CERCLA REPORTABLE QUANTITY

Hazardous Components	CAS Number	Component RQ (Lbs.)	Calculated Component RQ (lbs.)
Ammonium Hydroxide	1336-21-6	1,000	22,222
Potassium Hydroxide	1310-58-3	1,000	22,222
Sodium Hydroxide	1310-73-2	1.000	22,222

### **UNITED STATES:**

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All Chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances. SARA (SUPERFUND AMENDMENRS AND REAUTHORIZATION ACT)

SARA 304 EXTREMLY HAZARDOUS SUBSTANCES REPORTABLE QUANTITY:

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards: Acute Health Hazard

SARA 302:

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313:** 

Ammonia hydryxide

CAS No 1336-21-6 includes anhydrous Ammonia and aqueous Ammonia from water dissociable Ammonium salts and other sources, 10% of total aqueous

Ammonia is reportable under this listing.

**CALIFORNIA PROP 65:** 

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

# **16. OTHER INFORMATION**

NFPA Health Hazards: 3 Flammability: 0 Instability: 1 Special: N/A HMIS Health Hazards: 3 Flammability: 0 Physical Hazards: 0 Reactivity: 1

**Revision Date:** 6/11/2015

Reasons For Revision: No Information Available

> MANUFACTURER DISCLAIMER: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind, express or implied, and we assume no responsibility for any loss, damage, or expense, direct or consequential, arising out of their use.

> > ---- End of Safety Data Sheet ----