### **1. PRODUCT IDENTIFICATION & COMPANY INFORMATION**

#### PRODUCT:

ITEM:

Power Temp XP 4

RECOMMENDED USE:

63505

Category 1A

Category 1

**Dish Machine Detergent** 

# MANUFACTURER:

Chemcor Chemical Corp. 13770 Benson Avenue Chino, CA 91710

## 2. HAZARDS INGREDIENTS & IDENTIFICATION

### GHS CLASSIFICATION:

Skin Corrosion Serious eye damage

#### GHS LABEL ELEMENT

**Hazard Pictograms** 



### SIGNAL WORD: DANGER

#### HAZARD STATEMENTS: Causes severe skin burns and eye damage. PREVENTION:

Wash skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

RESPONSE:

**IF SWALLOWED:** Do Not induce vomiting. Rinse mouth. Immediately drink 1 to 2 glasses of water or milk. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. **If in EYES:** In case of contact, immediately flush thoroughly with plenty of cool running water. Remove contact lenses if worn. Continue flushing for at least 15

minutes holding eyelids apart. If irritation persists, get medical attention promptly.

IF on SKIN (or HAIR): In case of contact, immediately flush thoroughly with plenty of cool running water for at least 15 minutes. Immediately remove contaminated clothing and shoes. Wash prior to reuse.

**IF INHALED:** If discomfort is experienced from exposure to spray mist, the person should employ respiratory protection or leave the contaminated area until proper ventilation is restored. Breathe fresh air. If irritation persists, get medical attention.

STORAGE: Store in a tightly closed container. Do not store near oxidizers, alkalies, acids and bleach. Do not mix with other chemicals. Store away from excessive heat.

**DISPOSAL METHOD:** Dispose of in accordance with all Local, State and Federal regulations.

EMPTY CONTAINER: Nonrefillable container. Do not reuse or refill container. Before discarding container, rinse thoroughly with water. OTHER HAZARDS: None known.

### 3. PHYSICAL DATA/COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight%
water	7732-18-5	N/A
potassium hydroxide	1310-58-3	N/A
ethylenedinitrilo(tetraacetic) acid disodium salt dihydrate	6381-92-6	N/A
sodium hydroxide	1310-73-2	N/A
tetrapotassium;phosphonato phosphate	7320-34-5	N/A
sodium (3R,4S,5R,6R)-2,3,4,5,6,7-hexahydroxyheptanoate	31138-65-5	N/A

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

## 4. HEALTH HAZARD DATA & FIRST AID MEASURES

**EYES**: Immediately flush the eyes with large quantities of running water for a minimum of 15 minutes. Hold the eyelids apart during the flushing to ensure rinsing of the entire surface of the eyes and lids with water. DO NOT attempt to neutralize with chemical agents. Obtain medical attention as soon as possible. Oils or ointments should not be used. Continue the flushing for an additional 15 minutes if the physician is not immediately available.

SKIN : Immediately remove contaminated clothing under safety shower. Flush all affected areas with large amounts of water for at least 15 minutes. DO NOT attempt to neutralize with chemical agents. Obtain medical advice immediately.

**INGESTION**: If swallowed, DO NOT INDUCE VOMITING. Immediately give large quantities of water or milk, if available. If vomiting does occur, give fluids again. Never give anything by mouth to an unconscious person. Call a physician or nearest Poison Control Center immediately.

**INHALATION**: Remove from contaminated atmosphere. If breathing has ceased, clear the victim's airway and start mouth-to-mouth artificial respiration, which may be supplemented by the use of a bag-mask respirator, or a manually-triggered, oxygen supply capable of delivering 1 liter/second or more. If the victim is breathing, oxygen may be administered from a demand-type or continuous-flow inhalator, preferably with a physician's advice. Contact a physician immediately. **EYES**: Immediately flush the eyes with large quantities of running water for a minimum of 15 minutes. Hold the eyelids apart during the flushing to ensure rinsing of the entire surface of the eyes and lids with water. DO NOT attempt to neutralize with chemical agents. Obtain medical attention as soon as possible. Oils or ointments should not be used. Continue the flushing for an additional 15 minutes if the physician is not immediately available. **NOTES TO PHYSICIAN**: Treat symptomatically.

DATE ISSUED :	12/26/2019
SDS REF. No :	635

24 HR. EMERGENCY TELEPHONE NUMBER: INFOTRAC (US Transportation): (800) 535-5053 NON-EMERGENCY TELEPHONE NUMBER: (909) 590-7234

## **5. FIRE FIGHTING & EXPLOSION DATA/MEASURES**

SUITABLE EXTENGUISHING MEDIA: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water, Carbon Dioxide, Dry Chemical, Foam.

UNSUITABLE EXTENGUISHING MEDIA: None Known

SPECIFIC HAZARDS DURING FIRE FIGHTING: Not flammable or combustible.

HAZARDOUS COMBUSTION PRODUCTS: Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus

FIRE FIGHTING EQUIPMENT : Use Self Contained Breathing Apparatus (SCBA) or NIOSH approved respirator and protective clothing. FIRE FIGHTING PROCEDURES : Avoid breathing of vapors. Apply water spray to cool fire exposed containers and structures. Use water spray to disperse vapors. GENERAL HAZARD : If material is released, area will become slippery.

GENERAL HAZARD : If material is rele FLASH POINT AND METHOD : None

FLAMMABLE LIMITS : None

AUTOIGNITION TEMPERATURE : N/A FLAMMABLE CLASS : N/A

OTHER CONSIDERATIONS : None

### 6. ACCIDENTAL RELEASE MEASURES

**PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PRODCDURES:** Ensure adequate ventilation. Keep people away from and upwind of spiil/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8. **METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP:** To contain spilled material, dike area involved. Neutralize with the following acids:

**METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP:** To contain spilled material, dike area involved. Neutralize with the following acids: vinegar, citric acid, muriatic or hydrochloric acid. To absorb product, use porous material such as diatomaceous earth, sand or a commercial absorbent. Using a shovel, place into leak proof containers.

ENVIRONMENTAL PRECAUTIONS: Do not allow contact with soil, surface or ground water.

### 7. PRECAUTIONS FOR SAFE HANDLING/STORAGE/USE

SAFE HANDLING: Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling.

**GENERAL PROCEDURES :** Store in a tightly closed container. Do not store near oxidizers, alkalies, acids and bleach. Do not mix with other chemicals. Store away from excessive heat.

Do not freeze. Keep away from food stuffs. Keep out of reach of children. **STORAGE TEMPERATURE:** 0 °C to 50 °C

### 8. EXPOSURE CONTROLS\PERSONAL PROTECTION (PPE)

#### **OCCUPATIONAL EXPOSURE LIMITS:**

OCCOPATIONAL EXPOSORE EIMITS.					
Chemical Name	CAS Number	ACGIH TLV	OSHA PEL	NIOSH	
potassium hydroxide	1310-58-3	Ceiling: 2 mg/3	TWA: 2 mg/m3 (vacated) Ceiling: 2mg/m3	IDLH: 10 mg/m3 Ceiling: 2 mg/m3	
sodium hydroxide	1310-73-2	Ceiling: 2 mg/3	TWA: 2 mg/m3 (vacated) Ceiling: 2mg/m3	IDLH: 10 mg/m3 Ceiling: 2 mg/m3	

**OSHA TABLE COMMENTS:** NL = Not Listed

ENGINEERING CONTROLS: Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

#### PERSONAL PROTECTIVE EQUIPMENT:

EYES AND FACE: Safety Splash Monogoggles / Face Shield.

SKIN: Solvent resistant gloves, boots and clothing.

RESPIRATORY: None needed for normal clean up. If mist or vapor may be generated, a Self Contained Breathing Apparatus (SCBA) or NIOSH approved respirator is advised.

WORK HYGIENIC PRACTICES: Avoid accidental spills on skin, wash after use. Wash contaminated clothing prior to reuse. OTHER USE PRECAUTIONS: Have clean water available for washing. Provide adequate ventilation or use mechanical devices.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

APPERANCE/PHYSICAL STATE: COLOR: ODOR: pH: FLASH POINT: ODOR THRESHOLD: MELTING POINT/FREEZING POINT: BOILING POINT EVAPORATION RATE: FLAMMABILITY (SOLID, GAS): SPECIFIC GRAVITY: UPPER EXPLOSION LIMIT: LOWER EXPLOSION LIMIT: VAPOR PRESSURE: RELATIVE VAPOR DENSITY: RELATIVE DENSITY: WATER SOLUBILITY: SOLUBIILITY IN OTHER SOLVENTS: PARTITION COEFFICIENT: N-OCTANOLI/WATER: AUTOIGNITION TEMPERATURE: THERMAL DECOMPOSITION: VISCOSITY, KINEMATIC: EXPLOSIVE PROPERTIES:

Liauid Clear/Brown Slight 13.0-14.0 None No Data Available No Data Available >212°F (Water=1):<1 (slower than water) No Data Available (H<sub>2</sub>O=1): 1.26 No Data Available No Data Available No Data Available (Air=1):>1 (heavier than air) No Data Available 100% No Data Available No Data Available

OXIDIZING PROPERTIES: MOLECULAR WEIGHT: VOC:		No Data Available No Data Available No Data Available				
10. STABILITY AND REACTI	VITY					
STABILITY : Stable HAZARDOUS POLYMERIZATION : Will NOT Occur CONDITIONS TO AVOID : Contact with aluminum and soft metals. Keep from freezing. POLYMERIZATION : Will NOT Occur HAZARDOUS DECOMPOSITION PRODUCTS: Nitrogen, CO, CO2 INCOMPATIBLE MATERIALS : Acids, oxidizers and strong alkalies, bleach and ammonia. Soft metals such as aluminum, zinc and tin.						
<b>11. TOXICOLOGICAL INFOR</b>	MATION					
INFORMATION ON LIKELY ROUT	ES OF EXPOSURE	Inhalation, Ingestion	, Eye contact, Skin contact.			
SYMPTOMS OF EXPOSURE: Eye Contact: Skin Contact: Ingestion: Inhalation:		Causes eye irritation. May cause irritation. Pain, nausea, vomitir May cause nasal disc				
IMMEDIATE, DELAYED, CHRONIC EFFECTS:						
<b>Product Information:</b> Data not available for insufficient for classification.						
TARGET ORGAN EFFECTS: Eyes. Respiratory System. Skin. Blood. Central Nervous System. Hematopoietic System. Kidney. Liver.   NUMERICAL MEASURES OF TOXICITY: The following acute toxicity estimates (ATE) are calculated based on the GHS document.						
ATEmix (oral): ATEmix (dermal): ATEmix (inhalation-dust/mist): ATEmix (inhalation-vapor):		6195 mg/kg 13585 mg/kg 29.7 mg/L 74.2 mg/L				
COMPONENT ACUTE TOXICITY I						
Chemical Name	CAS Number	Oral LD50	Dermal LD50	Inhalation LC50		
water	7732-18-5	>90 mL/kg (Rat)	Not Available	Not Available		
potassium hydroxide	1310-58-3	= 214 mg/kg ( Rat )	Not Available	Not Available		

12. ECOLOGICAL IN	FORMAT	TION	

sodium hydroxide

ECOTOXICOLOGICAL	<b>INFORMATION:</b> This	product has no known	ecotoxicological effects.	Non Identified

1310-73-2

PRODUCT TOXICITY TO FISH: No Data Available TOXICITY TO DAPHNIA AND OTHER AQUATIC INVERTEBRATES: No Data Available TOXICITY TO ALGAE: No Data Available

INGREDIENTS TOXICITY TO DAPHNIA AND OTHER AQUATIC INVERTEBRATES: No Data Available PERSISTENCE AND DEGRADABILITY: No Data Available BIOACCUMULATIVE POTENTIAL: No Data Available MOBILITY IN SOIL: No Data Available OTHER ADVERSE EFFECTS: No Data Available

# **13. DISPOSAL CONSIDERATIONS**

DISPOSAL METHOD: Dispose of in accordance with all Local, State and Federal regulations. EMPTY CONTAINER: Nonrefillable container. Do not reuse or refill container. Before discarding container, rinse thoroughly with water. RCRA/EPA WASTE INFORMATION: N/A

Not Available

= 1350 mg/kg ( Rabbit )

Not Available

### **14. TRANSPORT INFORMATION**

THE SHIPPER/CONSIGNOR/SENDER IS RESPONSIBLE TO ENSURE THAT THE PACKAGING, LABELING, AND MARKINGS ARE IN COMPLIANCE WITH THE SELECTED MODE OF TRANSPORT.

#### DOT (DEPARTMENT OF TRANSPORTATION)

LAND TRANSPORT: PACKAGE SIZE: 1-Quart or Less DOT DESCRIPTION: Compounds, Cleaning Liquid DOT LABEL: None DOT PLACARD: None PACKAGE SIZE: 1-Gallon or Larger NA NUMBER: NA 1760 NA PROPER SHIPPING NAME : Compounds, Cleaning Liquid (contains sodium hydroxide & potassium hydroxide). TRANSPORT HAZARD CLASS: Corrosive 8 TRANSPORT HAZARD SUBCLASS: N/A PACKING GROUP: PG II DOT LABEL: Corrosive 8 DOT PLACARD: Corrosive 8 (1001 Lbs. or More) MARINE POLLUTANT Y/N: No

SEA TRANSPORT (IMDG/IMO): PACKAGE SIZE: 1-Quart or Less DOT DESCRIPTION: Compounds, Cleaning Liquid DOT LABEL: None DOT PLACARD: None PACKAGE SIZE: 1-Gallon or Larger NA NUMBER: NA 1760 NA PROPER SHIPPING NAME : Compounds, Cleaning Liquid (contains sodium hydroxide & potassium hydroxide). TRANSPORT HAZARD CLASS: Corrosive 8 TRANSPORT HAZARD SUBCLASS: N/A PACKING GROUP: PG II DOT LABEL: Corrosive 8 DOT PLACARD: Corrosive 8 (1001 Lbs. or More) MARINE POLLUTANT Y/N: No

### **15. REGULATORY INFORMATION**

#### EPCRA - EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW **CERCLA REPORTABLE QUANTITY**

Hazardous Components	CAS Number	Component RQ (Lbs.)	Calculated Component RQ (lbs.)
potassium hydroxide	1310-58-3	1,000	22,222
sodium hydroxide	1310-73-2	1,000	22,222

#### UNITED STATES:

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All Chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA (SUPERFUND AMENDMENRS AND REAUTHORIZATION ACT)

SARA 304 EXTREMLY HAZARDOUS SUBSTANCES REPORTABLE QUANTITY:

This material does not contain any components with a section 304 EHS RQ. SARA 311/312 Hazards:

Acute Health Hazard

SARA 302:

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold ( De Minimis) reporting levels established by SARA Title III, Section 313. CALIFORNIA PROP 65:

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

### **16. OTHER INFORMATION**

NFPA HMIS	Health Haza Health Haza		Flammability: 0 Flammability: 0	Instability: 2 Physical Hazards: -	Special: N/A Reactivity: 2	
<u>Revision Date:</u> Reasons For R		12/20/2019 No Information A	Available			

MANUFACTURER DISCLAIMER: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind, express or implied, and we assume no responsibility for any loss, damage, or expense, direct or consequential, arising out of their use.

---- End of Safety Data Sheet ----