

SAFETY DATA SHEET

1. PRODUCT IDENTIFICATION & COMPANY INFORMATION

PRODUCT: Sudsy Ammonia
ITEM: 82612, 82601, 82605, 82630, 82655
RECOMMENDED USE: Cleaner and Deodorizer

DATE ISSUED :	12/19/2018
SDS REF. No :	826

MANUFACTURER:
Chemcor Chemical Corp.
13770 Benson Avenue
Chino, CA 91710

24 HR. EMERGENCY TELEPHONE NUMBER:
INFOTRAC (US Transportation): (800) 535-5053
NON-EMERGENCY TELEPHONE NUMBER:
(909) 590-7234

2. HAZARDS INGREDIENTS & IDENTIFICATION

GHS CLASSIFICATION:
Acute Toxicity – Inhalation Category 2
Skin Corrosion Category 1
Serious eye damage Category 1
Respiratory Sensitization Category 1A
Germ Cell Mutagenicity Category 2
Specific Target Organ Toxicity (Single Exposure) Category 1
Chronic Aquatic Toxicity Category 3

GHS LABEL ELEMENT

Hazard Pictograms



SIGNAL WORD: DANGER

HAZARD STATEMENTS: Fatal if inhaled. Causes severe skin burns and eye damage. May cause allergy or Asthma symptoms of breathing difficulties if inhaled. Suspected of causing genetic defects. Causes damage to organs. Harmful to aquatic life with long lasting effects.

PREVENTION:

Wash skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

RESPONSE:

IF SWALLOWED: Do Not induce vomiting. Rinse mouth. Immediately drink 1 to 2 glasses of water or milk. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

If in EYES: In case of contact, immediately flush thoroughly with plenty of cool running water. Remove contact lenses if worn. Continue flushing for at least 15 minutes holding eyelids apart. If irritation persists, get medical attention promptly.

IF on SKIN (or HAIR): In case of contact, immediately flush thoroughly with plenty of cool running water for at least 15 minutes. Immediately remove contaminated clothing and shoes. Wash prior to reuse.

IF INHALED: If discomfort is experienced from exposure to spray mist, the person should employ respiratory protection or leave the contaminated area until proper ventilation is restored. Breathe fresh air. If irritation persists, get medical attention.

STORAGE: Store in a tightly closed container. Do not store near oxidizers, alkalies, acids and bleach. Do not mix with other chemicals. Store away from excessive heat.

DISPOSAL METHOD: Dispose of in accordance with all Local, State and Federal regulations.

EMPTY CONTAINER: Nonrefillable container. Do not reuse or refill container. Before discarding container, rinse thoroughly with water.

OTHER HAZARDS: None known.

3. PHYSICAL DATA/COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight%
Water	7732-18-5	N/A
Ammonium Hydroxide	1336-21-6	N/A

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. HEALTH HAZARD DATA & FIRST AID MEASURES

EYES : Immediately flush the eyes with large quantities of running water for a minimum of 15 minutes. Hold the eyelids apart during the flushing to ensure rinsing of the entire surface of the eyes and lids with water. DO NOT attempt to neutralize with chemical agents. Obtain medical attention as soon as possible. Oils or ointments should not be used. Continue the flushing for an additional 15 minutes if the physician is not immediately available.

SKIN : Immediately remove contaminated clothing under safety shower. Flush all affected areas with large amounts of water for at least 15 minutes. DO NOT attempt to neutralize with chemical agents. Obtain medical advice immediately.

INGESTION : If swallowed, DO NOT INDUCE VOMITING. Immediately give large quantities of water or milk, if available. If vomiting does occur, give fluids again. Never give anything by mouth to an unconscious person. Call a physician or nearest Poison Control Center immediately.

INHALATION : Remove from contaminated atmosphere. If breathing has ceased, clear the victim's airway and start mouth-to-mouth artificial respiration, which may be supplemented by the use of a bag-mask respirator, or a manually-triggered, oxygen supply capable of delivering 1 liter/second or more. If the victim is breathing, oxygen may be administered from a demand-type or continuous-flow inhalator, preferably with a physician's advice. Contact a physician immediately.

EYES : Immediately flush the eyes with large quantities of running water for a minimum of 15 minutes. Hold the eyelids apart during the flushing to ensure rinsing of the entire surface of the eyes and lids with water. DO NOT attempt to neutralize with chemical agents. Obtain medical attention as soon as possible. Oils or ointments should not be used. Continue the flushing for an additional 15 minutes if the physician is not immediately available.

NOTES TO PHYSICIAN: Treat symptomatically.

5. FIRE FIGHTING & EXPLOSION DATA/MEASURES

SUITABLE EXTINGUISHING MEDIA: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water, Carbon Dioxide, Dry Chemical, Foam.

UNSUITABLE EXTINGUISHING MEDIA: None Known

SPECIFIC HAZARDS DURING FIRE FIGHTING: Not flammable or combustible.

HAZARDOUS COMBUSTION PRODUCTS: Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus

FIRE FIGHTING EQUIPMENT : Use Self Contained Breathing Apparatus (SCBA) or NIOSH approved respirator and protective clothing.

FIRE FIGHTING PROCEDURES : Avoid breathing of vapors. Apply water spray to cool fire exposed containers and structures. Use water spray to disperse vapors.

GENERAL HAZARD : If material is released, area will become slippery.

FLASH POINT AND METHOD : None

FLAMMABLE LIMITS : None

AUTOIGNITION TEMPERATURE : N/A

FLAMMABLE CLASS : N/A

OTHER CONSIDERATIONS : None

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCDURES: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP: To contain spilled material, dike area involved. Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush away traces with water.

ENVIRONMENTAL PRECAUTIONS: Do not allow contact with soil, surface or ground water. Do not allow into any sewer, on the ground or into any body of water. Should not be released into the environment. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

7. PRECAUTIONS FOR SAFE HANDLING/STORAGE/USE

SAFE HANDLING: Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling.

GENERAL PROCEDURES : Store in a tightly closed container. Do not store near oxidizers, alkalies, acids and bleach. Do not mix with other chemicals. Store away from excessive heat.

Do not freeze. Keep away from food stuffs. Keep out of reach of children.

STORAGE TEMPERATURE: 0 °C to 50 °C

8. EXPOSURE CONTROLS\PERSONAL PROTECTION (PPE)

OCCUPATIONAL EXPOSURE LIMITS:

Chemical Name	CAS Number	ACGIH TLV	OSHA PEL	NIOSH
Ammonium Hydroxide	1336-21-6	25 ppm, 8-hr TWA 35 ppm, STEL	27 mg/m3 STEL 35 ppm STEL 35 mg/m3 TWA 50 ppm, 8-hr TWA	REL: 25 ppm, 10-hr TWA REL: 35 ppm STEL

OSHA TABLE COMMENTS: NL = Not Listed

ENGINEERING CONTROLS: Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

PERSONAL PROTECTIVE EQUIPMENT:

EYES AND FACE: Safety Splash Monogoggles / Face Shield.

SKIN: Solvent resistant gloves, boots and clothing.

RESPIRATORY: None needed for normal clean up. If mist or vapor may be generated, a Self Contained Breathing Apparatus (SCBA) or NIOSH approved respirator is advised.

WORK HYGIENIC PRACTICES: Avoid accidental spills on skin, wash after use. Wash contaminated clothing prior to reuse.

OTHER USE PRECAUTIONS: Have clean water available for washing. Provide adequate ventilation or use mechanical devices.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE/PHYSICAL STATE:

COLOR:

ODOR:

pH:

FLASH POINT:

ODOR THRESHOLD:

MELTING POINT/FREEZING POINT:

BOILING POINT

EVAPORATION RATE:

FLAMMABILITY (SOLID, GAS):

SPECIFIC GRAVITY:

UPPER EXPLOSION LIMIT:

LOWER EXPLOSION LIMIT:

VAPOR PRESSURE:

RELATIVE VAPOR DENSITY:

RELATIVE DENSITY:

WATER SOLUBILITY:

SOLUBILITY IN OTHER SOLVENTS:

PARTITION COEFFICIENT: N-OCTANOLI/WATER:

AUTOIGNITION TEMPERATURE:

THERMAL DECOMPOSITION:

VISCOSITY, KINEMATIC:

EXPLOSIVE PROPERTIES:

Liquid

Yellow/Green

Ammonia

10.97

None

No Data Available

-2 °C / 28 °F

100 °C / 212°F

(Water=1):>1 (slower than water)

No Data Available

(H₂O=1): 1.00

No Data Available

No Data Available

No Data Available

(Air=1):>1 (heavier than air)

No Data Available

100%

No Data Available

No Data Available

No Data Available

No Data Available

No Data Available

No Data Available

OXIDIZING PROPERTIES: No Data Available
MOLECULAR WEIGHT: 17
VOC: No Data Available

10. STABILITY AND REACTIVITY

STABILITY : Stable under normal conditions of use and storage.
HAZARDOUS POLYMERIZATION : Will NOT Occur.
CONDITIONS TO AVOID : Contact with aluminum and soft metals. Keep from freezing.
POLYMERIZATION : Will NOT Occur
HAZARDOUS DECOMPOSITION PRODUCTS: Nitrogen Oxides (NO_x), CO, CO₂
INCOMPATIBLE MATERIALS : Acids, oxidizers, strong alkalies, and bleach. Soft metals such as aluminum, zinc and tin.

11. TOXICOLOGICAL INFORMATION

INFORMATION ON LIKELY ROUTES OF EXPOSURE: Inhalation, Ingestion, Eye contact, Skin contact.

SYMPTOMS OF EXPOSURE:

Eye Contact: Causes eye irritation.
Skin Contact: May cause irritation.
Ingestion: Pain, nausea, vomiting and diarrhea
Inhalation: May cause nasal discomfort and coughing.

IMMEDIATE, DELAYED, CHRONIC EFFECTS:

Product Information: Data not available for insufficient for classification.

TARGET ORGAN EFFECTS:

Eyes. Respiratory System. Skin.

NUMERICAL MEASURES OF TOXICITY:

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral): 6195 mg/kg
ATEmix (dermal): 13585 mg/kg
ATEmix (inhalation-dust/mist): 29.7 mg/L
ATEmix (inhalation-vapor): 74.2 mg/L

COMPONENT ACUTE TOXICITY INFORMATION

Chemical Name	CAS Number	Oral LD50	Dermal LD50	Inhalation LC50
Water	7732-18-5	>90 mL/kg (Rat)	Not Available	Not Available
Ammonium Hydroxide	1336-21-6	= 350 mg/kg (Rat)	Not Available	= 5.1 mg/L (Rat) 1 h = 2000 ppm (Rat) 4 h

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: This product has no known ecotoxicological effects. Non Identified

PRODUCT

TOXICITY TO FISH:

Harmful to Aquatic Life with long lasting effects.

TOXICITY TO DAPHNIA AND OTHER AQUATIC INVERTEBRATES:

See Table Below.

TOXICITY TO ALGAE:

No Data Available

INGREDIENTS

TOXICITY TO DAPHNIA AND OTHER AQUATIC INVERTEBRATES:

See Table Below.

PERSISTENCE AND DEGRADABILITY:

No Data Available

BIOACCUMULATIVE POTENTIAL:

No Data Available

MOBILITY IN SOIL:

No Data Available

OTHER ADVERSE EFFECTS:

No Data Available

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Daphnia and other Aquatic Invertebrates
Ammonium Hydroxide (CAS) 1336-21-6	N/A	0.44: 96 h Cyprinus carpio mg/L LC50 0.26 - 4.6: 96 h Lepomis macrochirus mg/L LC50 0.73 - 2.35: 96 h Pimephales promelas mg/L LC50 5.9: 96 h Pimephales promelas mg/L LC50 static 1.5: 96 h Poecilia reticulata mg/L LC50 1.19: 96 h Poecilia reticulata mg/L LC50 static 1.17: 96 h Lepomis macrochirus mg/L LC50 flow-through	25.4: 48 h Daphnia magna mg/L LC50

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of in accordance with all Local, State and Federal regulations.

EMPTY CONTAINER: Nonrefillable container. Do not reuse or refill container. Before discarding container, rinse thoroughly with water.

RCRA/EPA WASTE INFORMATION: N/A

14. TRANSPORT INFORMATION

THE SHIPPER/CONSIGNOR/SENDER IS RESPONSIBLE TO ENSURE THAT THE PACKAGING, LABELING, AND MARKINGS ARE IN COMPLIANCE WITH THE SELECTED MODE OF TRANSPORT.

DOT (DEPARTMENT OF TRANSPORTATION)

LAND TRANSPORT:

PACKAGE SIZE: 1-Quart or Less

DOT DESCRIPTION: Compounds, Cleaning Liquid

DOT LABEL: None

DOT PLACARD: None

PACKAGE SIZE: 1-Gallon or Larger

NA NUMBER: UN 2672

NA PROPER SHIPPING NAME : Ammonia Solution (contains Ammonium Hydroxide).

TRANSPORT HAZARD CLASS: Corrosive 8

TRANSPORT HAZARD SUBCLASS: N/A

PACKING GROUP: PG III

DOT LABEL: Corrosive 8

DOT PLACARD: Corrosive 8 (1000 Lbs. or More)

MARINE POLLUTANT: This material may meet the definition of a marine pollutant.

SEA TRANSPORT (IMDG/IMO):

PACKAGE SIZE: 1-Quart or Less

DOT DESCRIPTION: Compounds, Cleaning Liquid

DOT LABEL: None

DOT PLACARD: None

PACKAGE SIZE: 1-Gallon or Larger

NA NUMBER: UN 2672

NA PROPER SHIPPING NAME : Ammonia Solution (contains Ammonium Hydroxide).

TRANSPORT HAZARD CLASS: Corrosive 8

TRANSPORT HAZARD SUBCLASS: N/A

PACKING GROUP: PG III

DOT LABEL: Corrosive 8

DOT PLACARD: Corrosive 8 (1000 Lbs. or More)

MARINE POLLUTANT: This material may meet the definition of a marine pollutant.

15. REGULATORY INFORMATION

EPCRA – EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW CERCLA REPORTABLE QUANTITY

Hazardous Components	CERCLA Hazardous Substances and the Reportable Quantities	SARA Extremely Hazardous Substances EPCRA RQ	SARA Extremely Hazardous Substances TPQ
Ammonium Hydroxide (CAS 1336-21-6)	100 lbs. 45.4 kg.	100 lbs. EPCRA RQ	500 lbs. TPQ

UNITED STATES:

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All Chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

SARA 304 EXTREMELY HAZARDOUS SUBSTANCES REPORTABLE QUANTITY:

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards:

Acute Health Hazard

SARA 302:

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313:

Ammonia hydroxide

CAS No 1336-21-6 includes anhydrous Ammonia and aqueous Ammonia from water dissociable Ammonium salts and other sources, 10% of total aqueous

Ammonia is reportable under this listing.

CALIFORNIA PROP 65:

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

16. OTHER INFORMATION

NFPA
HMIS

Health Hazards: 3
Health Hazards: 3

Flammability: 0
Flammability: 0

Instability: 1
Physical Hazards: 0

Special: N/A
Reactivity: 1

Revision Date:

12/19/2018

Reasons For Revision:

No Information Available

MANUFACTURER DISCLAIMER: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind, express or implied, and we assume no responsibility for any loss, damage, or expense, direct or consequential, arising out of their use.

---- End of Safety Data Sheet ----