# **SAFETY DATA SHEET**

#### 1. PRODUCT IDENTIFICATION & COMPANY INFORMATION

PRODUCT: One Step RTU Disinfectant Cleaner

ITEM: 91512 - 91501 - 91505 - 91530 - 91555

PRODUCT USE: Disinfectant Cleaner DATE ISSUED : 7/28/2023 SDS REF. No: 915

24 HR. EMERGENCY TELEPHONE NUMBER: INFOTRAC (US Transportation): (800) 535-5053 NON-EMERGENCY TELEPHONE NUMBER:

(909) 590-7234

**MANUFACTURER:** Chemcor Chemical Corp. 13770 Benson Avenue Chino, CA 91710

E.P.A. REG. No.: 1839-83-70925

### 2. HAZARDS INGREDIENTS & IDENTIFICATION

**GHS CLASSIFICATION:** 

Serious Eye Damage/ Eye Irritation: Category 2A

**GHS LABEL ELEMENT** 



Signal Word Warning

Causes serious eye irritation Hazard statements:

PRECAUTIONARY STATEMENTS

Eye protection as specified by the supplier or the competent authority. Wash skin thoroughly after handling. Avoid release in to the environment. PREVENTION:

RESPONSE: If swallowed: Immediately call a Poison Center or doctor. If on skin (or in hair): Wash with pleanty of soap and water.

If skin irritation occurs, get medical attention immediately.

STORAGE: Store in a cool dry place at room temperature away from direct sunlight. Store in accordance to local regulations. DISPOSAL METHOD:

Dispose of in accordance with all Local, State and Federal regulations.

Nonrefillable container. Do not reuse or refill container. Before discarding container, rinse thoroughly with water. EMPTY CONTAINER:

Potential Health Effects (Acute and Chronic)

Inhalation: Slight irritation, headache, dissiness, nausea, Skin Contact: Slight irritation and can cause corrosion to skin.

Eye Contact: Corrosive to eyes and may cause severe damage including blindness.

Ingestion: May be harmful if swallowed. May cause gastrointestinal irritation with nausea, vomiting and diarrhea.

# 3. PHYSICAL DATA/COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Concentration / Weight %		
diethylene glycol monobutyl ether	112-34-5	N/A		
tetrasodium ethylene diamine tetraacetate	64-02-8	N/A		

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

### 4. HEALTH HAZARD DATA & FIRST AID MEASURES

**Emergency and First Aid** Procedures:

IN CASE OF EYES:

Flush eyes with water for 15 minutes. Get medical attention. IN CASE OF SKIN: Flush skin with pleanty of water for at least 15 minutes while removing contaminated clothing and shoes. Get

medical aid if irritiation develops or persists.

IN CASE OF INGESTION: If conscious and alert, rinse mouth and drink 2-4 cups of milk or water. Get medical aid immediately.

IN CASE OF INHALATION: If inhaled, remove to fresh air. If breathing becomes difficult, call a physician.

**NOTES TO PHYSICIAN:** Treat symptomatically.

# 5. FIRE FIGHTING & EXPLOSION DATA/MEASURES

SUITABLE EXTENGUISHING MEDIA: Use extinguishing measures that are appropriate to local circumstances and the surrounding

environment, Water, Carbon Dioxide, Dry Chemical, Foam,

**UNSUITABLE EXTENGUISHING MEDIA:** None Known

SPECIFIC HAZARDS DURING FIRE FIGHTING: **HAZARDOUS COMBUSTION PRODUCTS:** 

FIRE FIGHTING EOUIPMENT:

Not flammable or combustible.

None Know

Avoid breathing of vapors. Apply water spray to cool fire-exposed containers and structures. Use water spray to disperse vapors. Use Self Contained Breathing Apparatus (SCBA) or NIOSH approved respirator

and protective clothing.

SPECIAL EXTINGUISHING: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local

regulations. In the event of and/or explosion do not breathe fumes.

OTHER CONSIDERATIONS: If material is released, area will become slippery

#### **6. ACCIDENTAL RELEASE MEASURES**

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PRODCDURES: Wear protective equipment as needed. Refer to protective measures listed in sections 7 and 8.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP: To contain spilled material, dike area involved. Remove source of ignition and provide ventilation. To absorb product, use porous material such as diatomaceous earth, sand or a commercial absorbent. Using a shovel, place into leak proof containers. WATER DISPOSAL METHOD: Dispose of according to local, state and federal regulations. Wear protective equipment as needed. ENVIRONMENTAL PRECAUTIONS: Do not allow contact with soil, surface or ground water.

### 7. PRECAUTIONS FOR SAFE HANDLING/STORAGE/USE

Wash hands thoroughly after handling. Use adequate ventilation. Do not get in eyes, on skin, or on clothing. SAFE HANDLING:

Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep container tightly closed

Do not ingest or inhale.

**GENERAL PROCEDURES:** Store in a tightly closed container. Do not store near oxidizers, alkalies, acids and bleach. Do not mix with other chemicals.

Store away from excessive heat. Do not freeze. Keep away from food stuffs. Keep out of reach of children.

Do not mix with other chemicals.

STORAGE TEMPERATURE: 0 °C to 50 °C

### 8. EXPOSURE CONTROLS\PERSONAL PROTECTION (PPE)

#### **OCCUPATIONAL EXPOSURE LIMITS:**

Chemical Name		CAS Number	ACGIH TLV	OSHA PEL	NIOSH
	diethylene glycol monobutyl ether	112-34-5	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m³ (vacated) S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m³
	tetrasodium ethylene diamine tetraacetate	64-02-8	No data	No data	No data

**OSHA TABLE COMMENTS:** ND = No Data

**ENGINEERING CONTROLS:** Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

PERSONAL PROTECTIVE EQUIPMENT:

**EYES AND FACE:** 

HAND. Rubber gloves when used for prolonged periods or for sensitive skin. Wear appropriate apron if splashing or spray-back in areas likely to occur. SKIN:

RESPIRATORY: Use in well ventilated areas or local exhaust ventilation when cleaning small spaces.. WORK HYGIENIC PRACTICES: OTHER USE PRECAUTIONS: Avoid accidental spills on skin, wash after use. Wash contaminated clothing prior to reuse. Have clean water available for washing. Provide adequate ventilation or use mechanical devices.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

APPERANCE/PHYSICAL STATE: Liquid COLOR: Clear ODOR: Lemon pH: FLASH POINT: 11.5-12.5 >=212°F

ODOR THRESHOLD: No Data Available MELTING POINT/FREEZING POINT: No Data Available

BOILING POINT: >212°F

**EVAPORATION RATE:** (Water=1):>1 (slower than water)

FLAMMABILITY (SOLID, GAS): No Data Available UPPER EXPLOSION LIMIT: No Data Available SPECIFIC GRAVITY: LOWER EXPLOSION LIMIT: (H<sub>2</sub>O=1): 1.006 No Data Available VAPOR PRESSURE: No Data Available

RELATIVE VAPOR DENSITY: (Air=1):>1 (heavier than air) RELATIVE DENSITY: 8.39 lbs/gal

WATER SOLUBILITY: 100%

SOLUBIILITY IN OTHER SOLVENTS: No Data Available PARTITION COEFFICIENT: N-OCTANOLI/WATER: No Data Available AUTOIGNITION TEMPERATURE: THERMAL DECOMPOSITION: No Data Available No Data Available VISCOSITY, KINEMATIC: No Data Available **EXPLOSIVE PROPERTIES:** No Data Available OXIDIZING PROPERTIES: No Data Available MOLECULAR WEIGHT: No Data Available VOC: No Data Available

# 10. STABILITY AND REACTIVITY

STABILITY: HAZARDOUS POLYMERIZATION: Stable Will not occur **CONDITIONS TO AVOID:** Incompatible materials

**POLYMERIZATION:** Will not occur

**HAZARDOUS DECOMPOSITION PRODUCTS:** Hydrogen chloride, chlorine, Carbon monoxide, Carbon dioxide, nitrogen oxides (NOx) and ammonia

(NH3).

**INCOMPATIBLE MATERIALS:** 

Strong reducing agents, acids, organic matter, cyanides (e.g. potassium cyanide, sodium cyanide), ammonium salts, cellulose, sodium thiosulfate, Acetanilide, chlorates, hypophosphites, and iodides.

mercury salts, permanganates, sulfites, tannic acid.

### 11. TOXICOLOGICAL INFORMATION

**INFORMATION ON LIKELY ROUTES OF EXPOSURE:** Inhalation, Ingestion, Eye contact, Skin contact.

SYMPTOMS OF EXPOSURE:

Eye Contact: Causes eye irritation. Skin Contact: May cause irritation.

Ingestion: Pain, nausea, vomiting and diarrhea Inhalation: May cause nasal discomfort and coughing.

**IMMEDIATE, DELAYED, CHRONIC EFFECTS:** 

Data not available for insufficient for classification. Product Information:

**TARGET ORGAN EFFECTS:** Eyes. Respiratory System. Skin. Blood. Central Nervous System.

Hematopoietic System. Kidney. Liver.

**NUMERICAL MEASURES OF TOXICITY:** 

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral): 6195 mg/kg ATEmix (dermal): 13585 mg/kg 29.7 mg/L ATEmix (inhalation-dust/mist): ATEmix (inhalation-vapor): 74.2 mg/L

#### COMPONENT ACUTE TOXICITY INFORMATION

Chemical Name CAS Number		Oral LD50	Dermal LD50	Inhalation LC50		
diethylene glycol monobutyl ether	112-34-5	=470 mg/kg (Rat)	=2270 mg/kg (Rat) =220 mg/kg (Rabbit)	=2.21 mg/L (Rat) 4 h =450 ppm (Rat) 4 h		
tetrasodium ethylene diamine tetraacetate	64-02-8	=7200 mg/kg (Rat)	Not Available	Not Available		

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

#### 12. ECOLOGICAL INFORMATION

#### FCOTOXICITY

ECOTOXICITY					
Chemical Name (CAS)	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea	
diethylene glycol monobutyl ether (112-34-5)			Not Available	1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50	
tetrasodium ethylene diamine tetraacetate (64-02-8)	1.01: 72 h Desmodesmus subspicatus mg/L EC50	41: 96 h Lepomis macrochirus mg/L LC50static 59.8: 96 h Pimephales	Not Available	610: 24 h Daphnia magna mg/L EC50	

Persistence and Degradability: No Informatin Available No Informatin Available **Bioaccumulation:** No Informatin Available Other Adverse Effects:

# 13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of in accordance with all Local, State and Federal regulations.

**EMPTY CONTAINER:** Nonrefillable container. Do not reuse or refill container. Before discarding container, rinse thoroughly with water.

RCRA/EPA WASTE INFORMATION: N/A

### 14. TRANSPORT INFORMATION

THE SHIPPER/CONSIGNOR/SENDER IS RESPONSIBLE TO ENSURE THAT THE PACKAGING, LABELING, AND MARKINGS ARE IN COMPLIANCE WITH THE SELECTED MODE OF TRANSPORT.

DOT (DEPARTMENT OF TRANSPORTATION)

LAND TRANSPORT:

Not dangerous goods

SEA TRANSPORT (IMDG/IMO):

**AIR TRANSPORT (IATA):** Not dangerous goods

Not dangerous goods

# 15. REGULATORY INFORMATION

#### **EPCRA - EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW CERCLA REPORTABLE QUANTITY**

Hazardous Components	CAS Number	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)	CA Prop 65	CA TAC Title 8
diethylene glycol monobutyl ether	112-34-5	No	No	No	No	No
tetrasodium ethylene diamine tetraacetate	64-02-8	No	No	No	No	No

#### **UNITED STATES:**

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)
All Chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA (SUPERFUND AMENDMENRS AND REAUTHORIZATION ACT)
SARA 304 EXTREMLY HAZARDOUS SUBSTANCES REPORTABLE QUANTITY: This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards: Eye Irritation – Category 2A SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313: Diethylene glycol monobutyl ether; CAS No 112-34-5 applies to R-(OCH2CH2)n-OR', where n = 1, 2, or 3, R=Alkyl C7 or less, or R = Phenyl or Alkyl substituted phenyl, R' = H or Alkyl C7 or less, or OR' consisting of Carboxylic acid ester, Sulfate, Phosphate, Nitrate, or Sulfonate, Chemical Category N230 CALIFORNIA PROP 65: This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

# **16. OTHER INFORMATION**

NFPA Health Hazards: 2 Instability: 0 Flammability: 1 Special: N/A HMIS Health Hazards: 1 Flammability: 1 Physical Hazards: 0 PPE: C

11/19/2020 Revision Date:

No Information Available Reasons For Revision:

> **MANUFACTURER DISCLAIMER:** We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind, express or implied, and we assume no responsibility for any loss, damage, or expense, direct or consequential, arising out of their use.

> > ---- End of Safety Data Sheet ----